



**Enviroplus Bioactive® Toilet Tissue**

This Environmental Product Declaration (EPD) discloses potential environmental outcomes compliant with ISO 14025 for business to business communication.

The declared product Enviroplus Bioactive® Toilet Tissue was made by ABCO in China in 2016 for sale for applications in commercial and residential.

Enviroplus Bioactive® Toilet Tissue is made with PEFC certified paper.

Enviroplus is range of products that employ plant extracts, microbial, antimicrobial and enzyme technology.

These can prevent toilet blockages, control harmful microorganisms present in sanitary bins and neutralise odours at the source.

Enviroplus Bioactive® Toilet Tissue incorporates patented BATP® technology using a synergy of five natural microorganisms.

The microorganisms activate only when in contact with water to produce enzymes that biodegrade encrustations and organic substances in pipes and sewage system.

The Enviroplus products range was developed as a result of customer's seeking environmentally sustainable solutions for commercial cleaning industry projects.

Projects include floor cleaning, urinal and sanitary treatments and commercial showers and sinks.

Enviroplus has an extensive range of organic cleaning solutions delivering powerful results for cleaners and facilities across Australia.

Enviroplus is owned and exclusively distributed by Abco Products as at <http://www.abcopro.com.au/>

Their factory has ISO9001 and ISO14001 in place.

Detail is at <http://enviroplusproducts.com.au/>



*Figure 1 Enviroplus Bioactive® Toilet paper*



## Enviroplus Bioactive® Toilet Tissue

### Table of Contents

Heading	Page
1. Details of This Declaration	3
2. Product Characterisation	3
3. Verification of this Declaration	3
4. Sustainability Assessment Scores	4
5. Type 1 Ecolabel	4
6. Base Material Origin and Detail	4
6. Packaging, Installation, Use & Disposal	5
7. Whole of life Performance	5
8. Life Cycle Inventory Results	6
9. Life Cycle Impact Results	6
10. Life Cycle Benefit Potential	7
11. Life Cycle Benefit Results	8
12. Supply Chain Modelling	9
13. Life Cycle Assessment Method	10
14. Data Sources Representativeness and Quality	11
15. Supply Chain Modelling Assumptions	12
16. References for this LCA & EPD	13
17. Reviewers Report Conclusions	14

Different program EPDs may not be comparable as e.g. Australian transport is more than elsewhere. **Further explanatory information is found at <http://www.globalgreentag.com/>** or contact: [certification1@globalgreentag.com](mailto:certification1@globalgreentag.com) © This EPD remains the property of Global GreenTag Pty Ltd.



Enviroplus Bioactive® Toilet Tissue

1. Details of This Declaration





<b>Program Operator</b>	GreenTag Global Pty Ltd hereafter called Global GreenTag noted at www.globalgreentag.com
<b>EPD Number</b>	ABP-001-1-2018
<b>Date issue</b>	8 <sup>th</sup> August 2018
<b>Validity</b>	8 <sup>th</sup> August 2021
<b>Reference PCR</b>	Complies with PCR TP:2017 Toilet Paper in Compost, Septic and Sewered Systems
<b>Time</b>	Made in and sold from 2016 for single use
<b>Geography</b>	Made in China. Uses are assumed as for Australasia.
<b>Application</b>	Commercial and Residential use
<b>Functional unit</b>	Enviroplus Bioactive® Toilet Tissue 160kg use per capita cradle to fate 20 years

2. Product Characterisation

<b>Definition</b>	Enviroplus Bioactive® Toilet Tissue by ABCO for commercial and residential use
<b>Standard</b>	BATP L1700S complies with the following codes and regulations: EC Reg. No. 648/2004 of 31/03/2004 (biodegradability and labelling of detergents) EC Reg. No. 1907/2006 (REACH) EC Reg. No. 834/2007 of 28/06/2007

3. Verification of this Declaration

This EPD was approved on 8<sup>th</sup> August 2018 according to requirements of ISO14025 8.1.3b.

Role	Name	Position	Signature
<b>PCR Review Chair</b>	Murray Jones	Ecquate Pty Ltd CEO	 08-08-2018
<b>LCI &amp; LCBA Developer</b>	Delwyn Jones	The Evah Institute CEO	 08-08-2018
<b>LCARate, LCIA &amp; EPD Developer</b>	Mathilde Vlieg	Global GreenTag Assessor	 04-09-2018
<b>3<sup>rd</sup> Party LCI Verifier</b>	Shloka Ashar	Global GreenTag Lead Auditor LCI Verifier	 05/09/2018
<b>Internal EPD Audit</b>	David Baggs	Global GreenTag CEO & Program Director	 07/09/18



Enviroplus Bioactive® Toilet Tissue

4. Sustainability Assessment Scores

Table 1 lists Global GreenTag Sustainability Assessment Criteria (SAC) scores prior to weighting and then used to determine the GreenTag EcoPOINT<sup>1</sup> cradle to grave.

Table 1 Normalised GreenTag EcoPOINT & SAC Scores

Category Potential	Results (-1 to +1)
Building Synergy	0.50
Health & Ecotoxicity	0.00
Biodiversity	0.05
LCA Score	0.92
Greenhouse Gas Emissions CO <sub>2eq</sub> <sup>2</sup>	-0.85
Social Responsibility	0.65
GreenTag EcoPOINT	0.12

SAC scores are normalised against business as usual (BAU) product performing comparable functions under the same category rules. Lower scores show better environmental and social benefits with fewer impacts and damages. Considering sustainability:

- worst case BAU results = 1.0,
- neutral = 0.0 and
- net positive benefit = -1.0

5. Type 1 Ecolabel

The declared product Type 1 Ecolabel achieved

Global GreenTag<sup>Cert™</sup> Platinum Streamlined



6. Base Material Origin and Detail

Table 2 lists key components by function, type, key operations, sources and % share. FSC logs are grown in China 85.4%, New Zealand 5.4%, Russia 4.3%, US 2.1%, Australia 1.5% and Canada 1.3%.

Table 2 Base Material

Function	Component	Production	Origin	Mass %
Substrate	Paper	Grow, Hew, Chip, Pulp, Bleach, Press, Dry	China	>98.9 <100
Synergists	Enzymes	Farm, Harvest, Ferment, Extract	Italy	>0.1 <0.11

<sup>1</sup> <http://www.ecospecifier.com.au/knowledge-green/glossary.aspx#greentagecopoint>

<sup>2</sup> Stocker et al (eds.) Climate Change 2013: The Physical Science Basis, CH8, IPCC AR5, Cambridge U Press, UK.



**Enviroplus Bioactive® Toilet Tissue**

**6. Packaging, Installation, Use & Disposal**

<b>Packaging</b>	Paper wrap.
<b>Service life</b>	Multi use product with most material flows from the cradle returned to cradle
<b>Health Safety &amp; Environment</b>	Apart from compliance to occupational and workplace health safety and environmental laws no additional personal protection is considered essential for manufacture, use or reuse.
<b>Residual Scrap</b>	No significant waste is assumed as all known scrap is reused.
<b>Cleaning &amp; Maintenance</b>	No additional cleaning assumed.
	Zero product waste to river, land or ocean outfalls or council landfill.
<b>Disposal</b>	Post sanitising at end of life >98.9% scrap is assumed reused as agricultural soil conditioner. This is typical of all Australian Capital Cities sewerage treatment facilities.

**7. Whole of life Performance**

<b>Health Protection</b>	The product does not contain levels of carcinogenic, toxic or hazardous substances that warrant ecological or human health concern cradle to grave. It passed the Ecospecifier Cautionary Assessment Process (ESCAP) and no issues or red light concerns existed for product human or ecological toxicity.
<b>Effluent</b>	The LCI results and ESCAP raised no red light concerns in emissions to water <sup>3</sup> .
<b>Waste</b>	Cradle to grave waste to landfill from operations was non-hazardous.
<b>Environmental Protection</b>	Continuous improvement under the maker's certified ISO14001 EMS aims to avoid toxics, waste and pollution plus reduce their material and energy use.
<b>Environmental Health Effects</b>	No potential in-use impacts on environment or health are known.



## Enviroplus Bioactive® Toilet Tissue

### 8. Life Cycle Inventory Results

Table 3 lists resource use per functional unit, with transport as defined in Figure 2, across phases:

- cradle to gate including supply, manufacture and upstream delivery to site and installation;
- use and operation and end-of-life from in disposal.

**Table 3 Total Inventory of Flow Inputs Cradle to Grave/20 years and per kg**

Use of Material	Unit	Result/20 yr	Result/kg
Product Mass	kg	160	1.00
Embodied Water	kilolitre	3,357	20.98
Recycled Water	litre	212	1.33
Finite Material	kg	337	2.11
Recycled Material	kg	2.00	0.01
Renewable Material	kg	816	5.10
Recoverable Feedstock	MJ	6,925	43.28
Use of Energy	Unit	Result/20 yr	Result/kg
Biomass Fuel	MJ	6163	38.52
Hydro Power	MJ	100	0.63
Solar Energy	MJ	26.0	0.16
Wave/Tidal Energy	MJ	6.50	0.04
Hydrogen Energy	MJ	0.30	<0.01
Geothermal Energy	MJ	0.02	<0.01
Recovered Energy	MJ	-9.70	-0.06
Nuclear Energy	MJ	196	1.23
Fossil Fuel <sup>4</sup>	MJ	4,308	26.93
Fuel + Feedstock	MJ	10,780	67.38

### 9. Life Cycle Impact Results

Table 4 shows Life Cycle Impact Assessment (LCIA) results for 20 years of product use.

**Table 4 Potential Impact Results Cradle to Grave/20 years Functional Unit**

Evaluation Category	Unit	Result/20yr
EcoIndicator 99	ecopoint	21.0
Greenhouse Emissions <sup>5</sup>	kg CO <sub>2e</sub>	-268
Ecosystem Quality Damages	PDF*m <sup>2</sup> *yr	0.004
Human Health Damages	DALY	0.032
Ozone Depletion	kg R11 <sub>e</sub>	4.0E-08
Acidification	kg SO <sub>2e</sub>	17.0
Fossil Fuel Depletion	MJ <sub>surplus</sub>	286
Mineral Resource	MJ <sub>surplus</sub>	0.19

<sup>4</sup> Peat, Lignite, Coal, Gas, Oil, Sulphur, Hydrogen and Unspecified sources

<sup>5</sup> IPCC AR5, Stocker et al (eds.) Climate Change 2013: The Physical Science Basis, CH8, Cambridge U Press, UK.



Enviroplus Bioactive® Toilet Tissue

10. Life Cycle Benefit Potential

Manufacturer’s details on biomass and renewable energy flows confirm the product’s use has the following qualitative benefits and positive outcomes.

Climate, water and soil security benefits arise from reliance on renewable biomass and energy.

Climate and Water Security Benefits of Renewable Content and Scrap Reuse

Climate Security	Carbon drawn down from air by flora sequestered in biomass in product
	Brakes climate change via carbon sequestered & retained in forests and farms
	Carbon sequestered in standing forestry also braking global warming
	Carbon drawn down from air into product banked in re-use as soil conditioner
Water Security	Hectares intensive forest flora stabilising rain catchment and water table
	Forest leaf litter mulches and retains soil water and reduces water stress
	Product reuse mulches and retains soil water and reduces water stress
Soil Carbon Security	Carbon sequestered in unburnt tree roots in forest soil brakes climate change
	Carbon locked in standing forest detritus and roots in soil brakes climate change
	Product re-use as soil conditioner retains sequestered biomass for soil biota

Forestry industry security benefits arise from reliance on renewable supply.

Resource Supply Security Benefits of Renewable Content and Scrap Reuse

Forestry Security	Hectares certified forest and flora for foraging and grazing
	Hectares extensive certified forest flora for microbe, bird, bee and livestock forage
	Certified forest flora for microbe, bird, bee, pollinator foraging and livestock grazing
	Hectares extensive certified forest flora stabilising soil accumulation and erosion

Soil, biodiversity and habitat health and security benefits arise from reliance on renewable supply.

Soil, Habitat and Biodiversity Security Benefits of Renewable Content and Scrap Reuse

Soil Health and Security	Extensive forest and farm leaf & litter mulching soil reducing temperature stress
	Extensive forest soil for microbe and worm biome nutrition and soil development
Biodiversity Security	Extensive forest flora for biodiverse bird, bee, pollinator and wildlife forage
	Extensive standing forest for biodiverse wildlife and pollinator forage
Habitat Security	Extensive standing forest flora for soil retention and soil biota refugia
	Extensive standing forest flora for bird, bee, pollinator and wildlife refugia

Local and global human and ecological health security benefits flow from reliance on renewable supply.

Health Benefits of Renewable Content and Scrap Reuse

Soil Habitat Health	Forest soil microbe and worm biome nutrition enhances soils and CO <sub>2e</sub> drawdown
	Forest leaf & litter forage enhancing soil conditioning and mulching
Land Use & Space	Saves landfill space by using scrap as energy instead of waste to landfill
	Saves natural land use in refugia around extensive resin forest
Ecological health	Health and safety benefits with climate security from braking global warming
	Environmental health benefits from avoiding dust and pollution from fossil fuel use



Enviroplus Bioactive® Toilet Tissue

11. Life Cycle Benefit Results

This section shows quantitative Life Cycle Benefit Assessment (LCBA) for 20 years product use cradle to cradle. Table 5 lists benefits from Evah 2020 LCBA results /functional unit.

Table 5 Evah 2020 Gross Benefit Potential Results Cradle to Cradle

Benefit Layers	Units	Process Outcome	Result
<b>Climate Security (CLIMES)</b>			
Climate Brake CO <sub>2e</sub>	kg CO <sub>2e20</sub>	Carbon embodied in product biomass	221
Climate Security	kg CO <sub>2e20</sub>	Carbon drawn down from air by biomass	589
Biomass Security	kgCO <sub>2e100</sub>	Carbon sequestered in product biomass	268
Soil Carbon Security	kgCO <sub>2e100</sub>	Carbon banked in soil & standing forest roots	268
<b>Supply Energy &amp; Resource Viability: Energy &amp; Fuel(SERV)</b>			
Energy Renewal	MJ <sub>surplus</sub>	58% Reliance on Renewable in gross energy	6296
Energy Recovery	MJ <sub>surplus</sub>	89% Reliance on energy recovered in re-use	6163
Water Recovery	l <sub>Reuse</sub>	6.3% Reliance on recovered water	212
Fuel Renewal	MJ <sub>surplus</sub>	97.9% Reliance on Biofuel in gross fuel	6163
<b>Supply Energy &amp; Resource Viability: Renewables (SERV)</b>			
Material Biomass	MJ <sub>surplus</sub>	Reliance on Renewable Feedstock 86.6%	5476
Forestry Security	MJ	Biota, biome & roots retained in soil for seeds	6163
Resource Recovery	kg	Reliance on recovered resources 0.14%	1.6
Water Catchment	Litre <sub>rain</sub>	Local Surplus in Rainwater 0.5%	16
Quality Recovery	kg	Reliance on Retained Technical Quality 100%	337
<b>Positive Ecosystem Replenishment Fraction (PERF)</b>			
Climate Brake <sub>100year</sub>	kg CO <sub>2e100</sub>	Potential for Retained Ecosystem	590
Biodiversity Security	m <sup>2</sup> *yr	Extensive pasture flora & seed forage for fauna	483
Habitat Security	m <sup>2</sup> *yr	Extensive pasture leaf & litter for habitat	483
<b>Hale Human Health Adjusted Life Years (HALY)</b>			
Human Wellness	HALY	Life years with 25% less death & disability	0.011
Dust Avoidance	kg PM <sub>10</sub>	Avoided and captured dust pollution	0.74
Ozone Layer Repair	g R11 <sub>e</sub>	Avoided 57% ozone depleting chemicals	5.3E-08
Organic Safe Air	g NM VOC	Avoided 6.2% volatile organic chemicals	5.7E-08





Enviroplus Bioactive® Toilet Tissue

12. Supply Chain Modelling

Processes to acquire, refine, transport, fabricate, coat, use, clean, repair, reuse and dispose of metal, masonry, ceramic, timber, glass, plastic and composites are modelled. These include those of:

- Mining, extracting and refining resources to make commodities and packaging;
- Acquiring, cultivating, harvesting, extracting, refining produce and biomass;
- Fuel production to supply power and process energy and freight;
- Chemicals use in processing resources, intermediates and ancillaries;
- Process energy, fuel and freight of resources, intermediates and ancillaries;
- Use, cleaning, recoating, repair, recycling, re-use and landfill, as well as
- Infrastructure process energy transformed and material wear loss e.g. tyres.

A flow chart in Figure 2 shows key product supply chain operations from cradle to fate. While all known operations are included not all are shown.




Figure 2 Major Product Operations



Enviroplus Bioactive® Toilet Tissue



13. Life Cycle Assessment Method

LCA Author The Evah Institute as described at [www.evah.com.au](http://www.evah.com.au)  
 Study Period Factory data was collected from 2015 to 2018  
 LCA Method Compliant with ISO 14040 and ISO 14044 Standards  
 LCIA method EcoIndicator 99 Life Cycle Impact (LCIA) Assessment  
 Scope Cradle to Fate including all supply chain phases and stages depicted in Figure 2.  
 Phases The LCA covered all known flows in all known stages cradle to end of life fate.  
 Assumptions Use is to typical Australian Facility Management professional practice.  
 Scenarios Use, cleaning, maintenance plus disposal and re-use were scenario-based using Facility Management Association denoted and published typical operations.  
 System Boundaries The LCA covers all operations in the system boundary depicted in Figure 3.  
 Processes All known processes are included from resource acquisition, water, fuel & energy use, power generation & distribution, freight, refining, intermediates, manufacture, scrap re-use, packing and dispatch, installation, use, maintenance and landfill. All significant waste and emission flows from all supply chain operations involved to make, pack and install the product are included.

Life Cycle Stages	Product			Construct-ion		Use stage related to the building Fabric Operation							End of Life				Beyond system Boundary
	A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Unit Operations	Raw material supply	Transport	Manufacture	Transport	Construction	Use	Maintenance	Repair	Replacement	Refurbishment	Operational Energy use	Operational water use	Demolition	Transport	waste Processing	Disposal	Potential Reuse Recovery and Recycling load & benefit
Modeling	Actual			Scenarios													
Cradle to Gate	M	M	M														
Cradle to Gate +options	M	M	M	O	O	O	O	O	O	O	O	O	O	O	O	O	O
Cradle to Grave	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	M	O

Figure 3 Phases and Stages Cradle to Grave

Evah industry databases cover all known domestic and global scope 1 and 2 operations. They exclude scope 3 burdens from capital facilities, equipment churn, noise and dehydration as well as incidental activities and employee commuting. The databases exist in top zones of commercial global modelling and calculating engines. Quality control methods are applied to ensure:

- Coverage of place in time with all information<sup>6</sup> for each dataset noted, checked and updated;
- Consistency to Evah guidelines<sup>7</sup> for all process technology, transport and energy demand;
- Completeness of modeling based on in-house reports, literature and industry reviews;
- Plausibility in 2 way checks of LCI input and output flows of data checked for validity, plus
- Mathematical correctness of all calculations in mass and energy balance cross checks.

Electricity supply models in active databases are updated annually. As each project is modelled and new data is available the databases are updated and audited by external Type 1 ecolabel certifiers.

<sup>6</sup> Jones D G (2004) LCI Database for Commercial Building Report 2001-006-B-15 Icon.net, Australia

<sup>7</sup> Evah Tools, Databases and Methodology Queensland, Australia at <http://www.evah.com.au/tools.html>



Enviroplus Bioactive® Toilet Tissue

14. Data Sources Representativeness and Quality

Primary data used for modelling the state of art of each operation includes all known process for:

- Technology sequences;
- Energy and water use;
- Landfill and effluent plus
- Reliance on raw and recycled material;
- High and reduced process emissions;
- Freight and distribution systems.

Primary data is sourced from clients, Annual Reports and their publications on corporate locations, logistics, technology use, market share, management systems, standards and commitment to improved environmental performance. Information on operations is also sourced from client:

- Supply chain mills, their technical manuals, corporate annual reports and sector experts, and
- Manufacturing specifications websites and factory site development license applications.

Background data is sourced from the International Energy Agency, IBISWorld, USGS Minerals, Franklin Associates, Boustead 6, Plastics Europe, CML2, Simapro 8, EcoInvent 3 and NREL USLCI model databases. Information on operations is also sourced from:

- Library, document, NPI and web searches, review papers, building manuals and
- Global Industry Association and Government reports on Best Available Technology (BAT).

For benchmarking, comparison and integrity checks inventory data is developed to represent BAT, business as usual and worst practice options with operations covering industry sector supply and infrastructure in Australia and overseas.

Such technology, performance and license conditions were modelled and evaluated across mining, farming, forestry, freight, infrastructure and manufacturing and building industry sectors since 1995.

As most sources do not provide estimates of accuracy, a pedigree matrix of uncertainty estimates to 95% confidence levels of Geometric Standard Deviation<sup>2</sup> ( $\sigma_g$ ) is used to define quality as in Table 5<sup>8</sup>. No data set with  $>\pm 30\%$  uncertainty is used.

Table 5 Data Quality Uncertainty (U) for 2017-18

Metric $\sigma_g$	U $\pm 0.01$	U $\pm 0.05$	U $\pm 0.10$	U $\pm 0.20$	U $\pm 0.30$
Temporal	Post 2015	Post 2010	Post 2005	Post 2000	Pre 2000
Duration	>3yr	3yr	2yr	1yr	<1yr
Data Source	Process	Line	Plant	Corporate	Sector
Technology	Actual	Comparable	Within Class	Conventional	Within Sector
Reliability on	Site Audit	Expert verify	Region Report	Sector Report	Academic
Precision to	Process	Line	Plant	Company	Industry
Geography	Process	Line	Plant	Nation	Continent
True of the	Process	Mill	Company	Group	Industry
Sites cover of	>50%	>25%	>10%	>5%	<5%
Sample size	>66% trend	>25% trend	>10% batch	>5% batch	Academic
Cut-off mass	0.01%	0.05%	0.1%	0.5%	1%
Consistent to	$\pm 0.01$	$<\pm 0.05$	$<\pm 0.10$	$<\pm 0.20$	$<\pm 0.30$
Reproducible	>98% confidence	>95%	>90%	>80%	<70%
Certainty	Very High	High	Typical	Poor	$\geq \pm 0.30$ unused

<sup>8</sup> Evah Institute data quality control system accords with UNEP SETAC Global LCI Database Quality 2010 Guidelines



## Enviroplus Bioactive® Toilet Tissue

### 15. Supply Chain Modelling Assumptions

Australian building sector rules and Evah assumptions applied are defined in Table 6.

**Table 6 Scope Boundaries Assumptions and Metadata**

Quality/Domain	National including Import and Export
Process Model	Typical industry practice with currently most common or best (BAT) technology
Resource flows	Regional data for resource mapping, fuels, energy, electricity and logistics
Temporal	Project data was collated from 2015 to 2017
Geography	Designated client, site, regional, national, Pacific Rim then European jurisdiction
Representation	Designated client, their suppliers and energy supply chains back to the cradle
Consistency	Model all operations by known given operations with closest proximity
Technology	Pacific Rim Industry Supply Chain Technology typical of 2015 to 2018
Functional Unit	Typical product usage with cleaning & disposal/m <sup>2</sup> over the set year service life
<b>System Control</b>	
Primary Sources	Clients and suppliers mills, publications, websites, specifications & manuals
Other Sources	IEA 2018, GGT 2018, Boustead 2013, Simapro 2016, IBIS 2018, EcoInvent 2018
Data mix	Power grid and renewable shares updated to latest IEA 2018 reports
Operational	Company data for process performance, product share, waste and emissions
Logistics	Local data is used for power, fuel mix, water supply, logistics share & capacity
New Data Entry	VliegLCA, Evah Institute 2018; Global Green Tag Researchers 2018
Data Generator	Manufacturers, Evah Institute 2018; GGT 2018; Meta: IBIS 2018, Other pre 2018
Data Publisher	The Evah Institute Pty Ltd to Global GreenTag and designated client only
Persons input	All contributors cited in Evah & Global GreenTag records or websites
<b>Data Flow &amp; Mix</b>	
System Boundary	Earth's cradle of all resource & emission flows to end of use, fitout or build life
System flows	All known from and to air, land, water and community sources & sinks
Capital inclusions	Natural stocks $\Delta$ , industry stockpiles $\Delta$ , capital wear $\Delta$ , system losses and use
Arid Practice	Dry technology adopted, Water use is factored by 0.1 as for e.g. Mining
Transportation	Distance >20% than EU; >20% fuel efficient larger vehicles, load & distance
Industrial	Company or industry sector data for manufacturing and minerals involved
Mining	All raw material extraction is based on Australian or Pacific Rim technology
Imported fuel	Mix is from nearest sources is e.g. UAE, SE Asia, Canada or New Zealand
Finishes	Processing inputs with finishing burdens are factored in. If not that is denoted
<b>Validation</b>	
Accuracy	10 <sup>th</sup> generation study is $\pm$ 5 to 15% uncertain due to some background data
Completeness	All significant operations are tracked and documented from the cradle to grave
Precision	Tracking of >90% flows applies a 90:10 rule sequentially to 99.9% and beyond
Allocation	%100 to co products on reaction stoichiometry by energetic or mass fraction
Burdens	All resource use from & emissions to community air land, water are included
Plausibility	Results are checked and benchmarked against BAT, BAU & worst practice
Sensitivity	Calculated U is reported & compared to libraries of Bath U RICE & EcoInvent 3.2
Validity Checks	Are made versus Plastics Europe, Ecobilan, GaBi & or Industry LCA Literature

**Enviroplus Bioactive® Toilet Tissue****16. References for this LCA & EPD**

- Australian & New Zealand (ANZECC) Guidelines For Fresh & Marine Water Quality (2000) <http://www.environment.gov.au/water/quality/national-water-quality-management-strategy>
- Basel Convention (2011) Control of Transboundary Movement of Hazardous Waste & Disposal <http://www.basel.int/portals/4/basel%20convention/docs/text/baselconvention-text-e.pdf>
- Boustead (2014) Model 6 LCI database <http://www.boustead-consulting.co.uk/publicat.htm> USA & UK
- Ecoinvent (2016) LCI Model 3 database <http://www.ecoinvent.ch/> Ecoinvent, Switzerland
- Evah (2016) LCA Tools, Databases & Methodology at <http://www.evah.com.au/tools.html>
- Franklin Associates (2016) US LCI Database <http://www.fal.com/index.html> Eastern Research Group US
- GreenTag™ Certification (2016) [http://www2.ecospecifier.org/services\\_offered/greentag\\_certification](http://www2.ecospecifier.org/services_offered/greentag_certification)
- GreenTag™ (2016) Product Category Rules <http://www.globalgreentag.com/greentag-epd-program>
- Jones D., Mitchell. P. & Watson P. (2004) LCI Database for Australian Commercial Building Material: Report 2001-006-B-15, Sustainable Built Assets, CRC for Construction Innovation
- Jones D.G et al. (2009) Chapter 3: Material Environmental LCA in Newton P et al., (eds) Technology, Design & Process Innovation in the Built Environment, Taylor & Francis, UK
- IBISWorld (2014) Market Research, <http://www.ibisworld.com.au/> IBISWorld Australia
- International Energy Agency (2016) Energy Statistics <http://www.iea.org/countries/membercountries/>
- ISO 9001:2008 Quality Management Systems Requirements
- ISO 14001:2004 Environmental management systems: Requirements with guidance for use
- ISO 14004:2004 EMS: General guidelines on principles, systems & support techniques
- ISO 14015:2001 EMS: Environmental assessment of sites & organizations (EASO)
- ISO 14020:2000 Environmental labels & declarations — General principles
- ISO 14024:2009 Environmental labels & declarations -- Type I Principles & procedures
- ISO 14025:2006 Environmental labelling & declarations Type III EPDs Principles & procedures
- ISO 14031:1999 EM: Environmental performance evaluation: Guidelines
- ISO 14040:2006 EM: Life cycle assessment (LCA): Principles & framework
- ISO 14044:2006 EM: LCA: Requirement & guideline for data review: LCI; LCIA, Interpretation results
- ISO 14064:2006 EM: Greenhouse Gases: Organisation & Project reporting, Validation & verification
- ISO 15392:2008 Sustainability in building construction General principles
- ISO 15686-1:2011 Buildings & constructed assets Service life planning Part 1: General principles
- ISO 15686-2:2012 Buildings & constructed assets Service life (SL) planning Part 2: prediction
- ISO 15686-8:2008 Buildings & constructed assets SL planning Part 8: Reference & estimation
- ISO 21929-1:2011 Sustainability in building construction Sustainability indicators Part 1: Framework
- ISO 21930:2007 Building construction: Sustainability, Environmental declaration of building products
- ISO/TS 21931-1:2010 Sustainability in building construction: Framework for assessment, Part 1:
- ISO 21932:2013 Sustainability in buildings and civil engineering works -- A review of terminology
- Plastics Europe (2016) Portal <http://www.plasticseurope.org/plastics-sustainability/eco-profiles.aspx>
- Pre (2016) SimaPro 8 Software, The Netherlands <http://www.pre-sustainability.com/simapro-manuals>
- Myhre et al, 2013, Anthropogenic and Natural Radiative Forcing Chapter 8 in Stocker et al (eds.) Climate Change 2013, AR5 of the IPCC, Cambridge U Press UK. <http://www.ipcc.ch/report/ar5/wg1/>
- Roache S. K. (2012) IMF Report WP/12/115 China's Impact on World Commodity Markets <http://www.imf.org/external/pubs/ft/wp/2012/wp12115.pdf> International Monetary Fund
- UNEP (2016) Persistent Organic Pollutants <http://www.chem.unep.ch/pops/> The UN
- USLCI (2016) Life-Cycle Inventory Database <https://www.lcacommons.gov/nrel/search>, USA
- U.S. Geological Survey National Minerals (2016) <http://minerals.usgs.gov/minerals/pubs/country/> USA
- US EPA (2016) Database of Sources of Environmental Releases of Dioxin like Compounds in U.S <http://cfpub.epa.gov/ncea/cfm/recordisplay.cfm?deid=20797> p 1-38, 6-9, USA



Enviroplus Bioactive® Toilet Tissue

17. Reviewers Report Conclusions

The independent LCA reviewer’s report confirmed that the LCA project report and addition information addressed the EPD. The verifier, Shloka Ashar, was not involved in developing the LCA or EPD and has no conflict of interests from their organisational position. While the report is confidential its conclusions confirmed that documentation according to set ISO Standard requirements was provided including evidence from the:

**The Evah Institute, the LCA developer:**

- a) Recipes of input and output data of unit processes used for LCA calculations ✓
- b) Datasheets of measures, calculations, estimates and emails with sources as in Table 6 ✓
- e) References to literature and databases from which data was extracted as noted in Table 6 ✓
- g) Notes on supply chain processes and scenarios satisfying requirements of this Standard ✓
- i) Embodied Energy shares as used for sensitivity analyses re ISO 14044:2006, 4.5.3.3 ✓
- j) Proof percentages or figures in calculations in the end of life scenario ✓
- k) Notes on proof of % and allocation calculations ✓
- o) All operations covered Vs criteria and substantiation used to determine system boundaries ✓

**Product Manufacturer in:**

- c) Specifications used to create the manufacturer’s product ✓
- d) Citations, references, specifications or regulations & data showing completeness ✓
- f) Specification demonstrating that the building product can fulfil the intended use ✓

**The Certifier Global GreenTag on:**

- l) Notes and calculation of averages of different locations yielding generic data ✓
- m) Substantiating additional environmental information ISO 14025:2006, 7.2.4 ✓
- n) Procedures for data collection, questionnaires, instructions, confidentiality deeds ✓

**Requiring No Evidence:**

As the EPD is cradle to grave as well as PCR compliant the independent reviewer did not need to:

- h) Substantiate a few stages as all stages were substantiated ✓
- p) Substantiate alternatives when no other choices and assumptions were applied ✓
- q) Demonstrate consistency for few stages as the same rules in Tables 5 and 6 applied to all. ✓



**Enviroplus Bioactive® Toilet Tissue**

This Environmental Product Declaration (EPD) discloses potential environmental outcomes compliant with ISO 14025 for business to business communication.

**Further and explanatory information is found at**

<http://www.globalgreentag.com/>

or contact:

[certification1@globalgreentag.com](mailto:certification1@globalgreentag.com)



**Global GreenTag<sup>Cert</sup>™ EPD Program**

**Environmental Product Declaration**

**Compliant to ISO 14025**

© This EPD remains the property of the  
Global GreenTag Pty Ltd